

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	183	(vendor organizat\$5) near3 specific near3 extension\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 13:01
L2	35	1 and (packet\$3 near9 (length size\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 13:02
L3	13	1 and IPv'6'	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/23 13:01

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	53	vendor adj specific adj attribute\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:49
S2	432	radius with packet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:28
S3	34	(extend\$3 extending extension\$3) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:20
S4	18	S3 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:18
S5	11	S3 and S2 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:20
S6	14	(extend\$3 extending extension\$3) with S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:20
S7	10	S6 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:50
S8	0	radius adj packet\$3 adj format\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:50

S9	25	radius with packet\$3 with format\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:34
S10	8	((("6151628") or ("6400722") or ("6415027") or ("6442165"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:35
S11	50	radius adj packet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 14:51
S12	22	S11 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:50
S13	148	((remote adj authenticat\$5 adj dial\$3 adj3 user\$3 adj service\$3) radius) adj5 packet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:09
S14	18	S1 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:03
S15	11	S14 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:04
S16	11	S14 and @ad<"20011010" and (length type\$3 id value\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:04

S17	38	vendor\$3 near9 specific\$5 near9 (extension\$3 extend\$3) near8 (attribut\$5 field\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:55
S18	551890	((remote adj authenticat\$5 adj dial\$3 adj3 user\$3 adj service\$3) radius)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:49
S19	16	S17 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:49
S20	14	S19 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:58
S21	0	(vendor\$3 near9 specific\$5 near9 (extension\$3 extend\$3) near8 (attribut\$5 type\$3 field\$5)) with (predetermin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:56
S22	0	(vendor\$3 near9 specific\$5 near9 (extension\$3 extend\$3) near8 (attribut\$5 type\$3 field\$5)) with (predetermin\$5 predefin\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 15:57
S23	73	(vendor\$3 near9 specific\$5 near9 (extension\$3 extend\$3) near8 (attribut\$5 type\$3 field\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:34
S24	40	S23 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:08

S25	207	vendor\$3 near3 specific\$5 near3 (extension\$3 extend\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:08
S26	113	S25 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:08
S27	552394	((remote adj authenticat\$5 adj dial\$3 adj3 user\$3 adj service\$3) radius)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:09
S28	37	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:28
S29	207	vendor\$3 near3 specific\$5 near3 (extension\$3 extend\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:30
S30	113	S29 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:34
S31	552394	((remote adj authenticat\$5 adj dial\$3 adj3 user\$3 adj service\$3) radius)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:28
S32	37	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:30

S33	1	(vendor\$3 near9 (extension\$3 extend\$3)) and "20020009066". pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:31
S34	1	(vendor\$3 (extension\$3 extend\$3)) and "20020009066". pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:31
S35	111	(vendor\$3 near5 (extension\$3 extend\$3) near5 (attribut\$5 type\$3 format\$5 field\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:28
S36	60	S35 and (byte\$3 bit\$3) and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:35
S37	73	S35 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:35
S38	13	S35 and S31 and @ad<"20011010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:35
S39	20	(vendor\$3 near5 (extension\$3 extend\$3) near5 value\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:40
S40	9	(vendor\$3 near5 (extension\$3 extend\$3)) near9 ('32')	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:48

S42	1	vendor adj extension adj type\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 17:40
S43	3	vendor\$3 adj2 extension adj2 type\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 17:43